



Overview of U-Values:

Single pane glass	4.70-5.70	Kalwall 70mm low density	2.57
Double pane glass	2.70-2.90	Kalwall 70mm medium density	1.25
Double pane insulated glass 14mm Argon low E	1.80	Kalwall 70mm high density	0.78
Double paneinsulated glass Argon low E	1.20-1.40	Kalwall 70mm + Nanogel	0.28
Triple pane 2x12mm Crypton, 2x low E	0.80	Scobalit GRP 50mm	
Double pane glass 30mm + Nanogel	0.60	Scobalit GRP 50mm + Nanogel	0.48
Profilit	2.84	Vector Foiltec	1.96
Profilit + Nanogel in 16mm PC	1.81	Vector Foiltec + Nanogel 15mm	1.20
Profilit + Nanogel in 25mm PC	1.60	Vector Foiltec + Nanogel 20mm	0.90
Profilit low E	1.75	Vector Foiltec + Nanogel 30mm	0.60
Profilit low E + Nanogel in 16mm PC	1.30	Vector Foiltec + Nanogel 60mm	0.30
Profilit low E + Nanogel in 25mm PC	1.10		
Polycarbonate 16mm	2.40		
Polycarbonate 25mm	1.50		
Polycarbonate 16mm + Nanogel	1.31		
Polycarbonate 25mm + Nanogel	0.89		